



REV.	DESCRIPTION	ECN	DATE
E	CHANGE PER ECN	1120_09447	2-2-23



Symbol	Inches		Millimeters	
	Min	Max	Min	Max
BL	0.215	0.225	5.46	5.72
BW	0.145	0.155	3.68	3.94
CH		0.077		1.96
LW1	0.070	0.080	1.78	2.03
LW2	0.047	0.057	1.19	1.45
LW	0.142	0.158	3.61	4.01
LL1	0.108	0.118	2.74	3.00
LL2	0.072	0.082	1.83	2.08
Q1	.030		0.76	
Q2	.022		0.56	

NOTES:

1. DIMENSIONING & TOLERANCING PER ASME Y14.5M-1994.
2. CONTROLLING DIMENSION: INCH.
3. DIMENSIONS ARE SHOWN IN INCHES [MILLIMETERS].
4. UNLESS OTHERWISE SPECIFIED DIMENSION TOLERANCE IS ±.008.
5. PADS PULLBACK FROM EDGE OF PART 0.010 MAX.
6. STANDARD FINAL LEAD FINISH IS SOLDER ALLOY 63%Sn 37%Pb.



IOR HiRel
An Infineon Technologies Company

TITLE:
CASE OUTLINE, SMD 0.1 C350075

DRAWING NO. D101018G-WEB	REV E
-----------------------------	-------